



## Planting for kererū

This list of kererū friendly plants is specific to the Wellington Region. More information on each species can be found at the New Zealand Plant Conservation Network website ([nzpcn.org.nz](http://nzpcn.org.nz))

F=fruit and/or seeds    Fl=flowers    L=leaves and/or buds

Scientific Name	Common Name	Food
<i>Alectryon excelsus</i>	Titoki	F
<i>Aristotelia serrata</i>	Wineberry, Makomako	F/L
<i>Astelia banksii</i>	Coastal astelia,	F
<i>Astelia nervosa</i>	Astelia	F
<i>Beilschmiedia tarairi</i>	Taraire	F
<i>Beilschmiedia tawa</i>	Tawa	F
<i>Carpodetus serratus</i>	Putaputaweta	F/L
<i>Clematis paniculata</i>	New Zealand. clematis	L
<i>Coprosma grandifolia</i>		F
<i>Coprosma propinqua</i>		L
<i>Coprosma repens</i>	Mirror bush, looking-glass plant	F
<i>Coprosma rhamnoides</i>	Twiggy coprosma	F

<i>Coprosma robusta</i>		F
<i>Coprosma rotundifolia</i>	Round-leaved coprosma	L
<i>Cordyline australis</i>	Cabbage tree, Ti kouka	F
<i>Dacrycarpus dacrydioides</i>	White pine, kahikatea	F
<i>Dacrydium cupressinum</i>	Rimu	F/L
<i>Dysoxylum spectabile</i>	Kohekohe	F
<i>Elaeocarpus dentatus</i>	Hinau	F
<i>Fuchsia excorticata</i>	New Zealand tree fuchsia, Kotukutuku	Fl/L/F
<i>Geniostoma ligustrifolium</i>	Hangehange	F
<i>Griselinia littoralis</i>	Broadleaf, Kapuka	F/L
<i>Hedycarya arborea</i>	Pigeonwood	F
<i>Hoheria sexstylosa</i>	Lacebark, Houhere	L
<i>Hoheria populnea</i>	Lacebark, Houhere	L
<i>Knightsia excelsa</i>	Rewarewa	Fl/buds
<i>Leptospermum scoparium</i>	Manuka , Tea tree	L
<i>Libocedrus plumosa</i>	New Zealand cedar, Kaikawaka	F
<i>Lophomyrtus bullata</i>	Ramarama	F
<i>Macropiper excelsum</i>	Kawakawa	F
<i>Melicytus ramiflorus</i>	Mahoe	F/Fl/L
<i>Muehlenbeckia australis</i>	Large-leaved muehlenbeckia	L
<i>Muehlenbeckia complexa</i>	Small-leaved/ scrambling pohuehue,	L

	wire vine	
<i>Myoporum laetum</i>	Ngaio	F
<i>Myrsine australis</i>	Mapou	F
<i>Neomyrtus pendunculata</i>	Rohutu	F
<i>Nestegis cunninghamii</i>	Black maire	F
<i>Nestegis lanceolata</i>	White maire	F
<i>Nestegis montana</i>	Narrow-leaved maire	L
<i>Parsonsia capsularis</i>	New Zealand jasmine	L
<i>Parsonsia heterophylla</i>	Native jasmine	L
<i>Passiflora tetrandra</i>	New Zealand passionfruit	F
<i>Pennantia corymbosa</i>	Kaikomako	F/L
<i>Pittosporum eugenioides</i>	Lemonwood	F
<i>Plagianthus regius</i>	Ribbonwood	L/T
<i>Podocarpus totara</i>	Totara	F
<i>Prumnopitys ferruginea</i>	Miro	F/L
<i>Prumnopitys taxifolia</i>	Matai	F
<i>Pseudopanax arboreus</i>	Five-finger	F
<i>Pseudowintera axillaris</i>	Pepper tree	F
<i>Pseudowintera colorata</i>	Horopito peppertree	F
<i>Rhopalostylis sapida</i>		F
<i>Ripogonum scandens</i>	Supplejack	F

<i>Rubus australis</i>	Bush lawyer, swamp lawyer	F
<i>Rubus cissoides</i>	Bush lawyer	FL
<i>Schefflera digitata</i>	Seven-finger	F
<i>Solanum aviculare</i> & <i>S. laciniatum</i>	Poroporo	F
<i>Sophora microphylla</i>	Kowhai	FI/L
<i>Sophora tetraptera</i>	Kowhai	FI/L
<i>Streblus heterophyllus</i>	Small-leaved milktree	F
<i>Syzygium maire</i>	Swamp maire	F
<i>Vitex lucens</i>	Puriri	F
<i>Weinmannia racemosa</i>	Kamaha	F/FI/L